

Roll No

Application No

Candidate Name

Module Name **Homoeopathy**Exam Date **04-Jul-2025**Exam Batch **10:00-12:00****1) Homoeopathy****Question No. 1 / Question ID 5038**

Marks: 4.00

Arrange the following phases of evolution of concept of public health in ascending chronological order from earliest to latest:

- (A) Health Promotion Phase
- (B) Social Engineering Phase
- (C) Disease Control Phase
- (D) Health for all

Choose the correct answer from the options given below :

- (1) (C), (B), (A), (D)
- (2) (A), (C), (B), (D)
- (3) (C), (A), (D), (B)
- (4) (C), (A), (B), (D)

- 1
- 2
- 3
- 4

**Question No. 2 / Question ID 5023**

Marks: 4.00

Spinal affections with burning along whole length of spine; backache, much < from sitting, > by walking about. Nape of neck weary from writing or any exertion. Pain in small of back; cannot bear back touched. Dull aching about the last dorsal or first lumbar vertebrae; worse sitting.

Select the right remedy for the symptom :

- (1) Rhus Toxicodendron
- (2) Agaricus Muscarius
- (3) Theridion Curassavicum
- (4) Zincum Metallicum

- 1
- 2
- 3
- 4

Question No. 3 / Question ID 5011

Marks: 4.00

Which of the following statements are correct in reference to Fifty millesimal scale of potency?

- (A) Cones are used as vehicle
- (B) Dr. Hahnemann had termed the new preparation as – ‘Medicaments au globule’
- (C) The name ‘50 millesimal scale’ was coined by Dr. P. Schmidt
- (D) The scale was introduced in sixth edition of Organon of medicine
- (E) As per HPI instruction to start the process of preparation, 1 mg of drug substance is triturated with 1000 g of sugar of milk

Choose the correct answer from the options given below :

- (1) (A), (B) and (C) only
- (2) (B), (C) and (D) only
- (3) (B), (C) and (E) only
- (4) (C), (D) and (E) only

- 1
- 2
- 3
- 4

Question No. 4 / Question ID 5010

Marks: 4.00

The Mother preparation of which of the following Drug does not have a Drug power of $\frac{1}{100}$ in New method?

- (1) Acidum Picricum
- (2) Spigelia
- (3) Glonoinum
- (4) Arsenicum album

- 1
- 2
- 3
- 4

Question No. 5 / Question ID 5006

Marks: 4.00

Which of the following is an artificial source of Imponderabilia?

- (1) Magnetis polus australis
- (2) Magnetis poli ambo
- (3) Sol
- (4) Radium bromide

- 1
- 2
- 3
- 4

Question No. 6 / Question ID 5030

Marks: 4.00

Given below are two statements :

Statement I : Pus protruding through Fibrial end of fallopian tube is sure sign of Genital TB.

Statement II : HSG is contraindicated in Genital TB

In the light of the above statements, choose the *most appropriate* answer from the options given below :

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

- 1
- 2
- 3
- 4

Question No. 7 / Question ID 5052

Marks: 4.00

Policeman's Heel is

- (1) Plantar fasciitis
- (2) Hallux Vulgus
- (3) Hallux rigidus
- (4) Hammer Toe

- 1
- 2
- 3
- 4

Question No. 8 / Question ID 5063

Marks: 4.00

Austin flint murmur is heard in

- (1) Tricuspid regurgitation
- (2) Mitral regurgitation
- (3) Aortic regurgitation
- (4) Pulmonary regurgitation

- 1
- 2
- 3
- 4

Question No. 9 / Question ID 5075

Marks: 4.00

Choose the correct sequence of cellular events in acute inflammation :

- (A) Chemotaxis
- (B) Margination
- (C) Phagocytosis
- (D) Rolling and Adhesion
- (E) Transmigration

(1) (A), (D), (E), (B), (C)

(2) (B), (D), (E), (A), (C)

(3) (A), (B), (C), (D), (E)

(4) (D), (B), (E), (A), (C)

- 1
- 2
- 3
- 4

Question No. 10 / Question ID 5091

Marks: 4.00

The Rubric "Related Remedies" is found in :

- (1) Boenninghausen's Therapeutic Pocket Book
- (2) Clinical repertory by Oscar E. Boericke
- (3) Repertory of the Homeopathic materia medica – by J.T. Kent
- (4) Boger Boenninghausen's Characteristics and Repertory

- 1
- 2
- 3
- 4

Question No. 11 / Question ID 5074

Marks: 4.00

Which of the following is the commonest histologic form of malignant epithelial lung tumors?

- (1) Small – Cell lung carcinoma
- (2) Squamous cell carcinoma
- (3) Adeno carcinoma
- (4) Large cell carcinoma

- 1
- 2
- 3
- 4

Question No. 12 / Question ID 5104

Marks: 4.00

Who emphasized the importance of relationship of remedies in the following statement :

“Some remedies are in harmony with others, some neutral, some inimical. The most similar ones, as a rule, are complementary. They antidote each other’s bad effects, follow each other well and often make up for the deficiencies of others”.

(1) Dr. Boenninghausen

(2) Dr. T.F. Allen

(3) Dr. H.A. Roberts

(4) Dr. C.M. Boger

- 1
- 2
- 3
- 4

Question No. 13 / Question ID 5015

Marks: 4.00

“Amblyopia or asthenopia from over exertion of eyes or anomalies of refraction, from over-use in bad light; fine sewing, over-reading at night; misty, dim vision, with complete obscuration at a distance”.

Choose the correct option from below :


(1) Natrum Sulph.

(2) Argentum Metallicum

(3) Ruta Graveolens

(4) Physostigma

- 1
- 2
- 3
- 4



Question No. 14 / Question ID 5013

Marks: 4.00

Match List I with List II :

List I	List II
(A) Urine dribbles while sitting	(I) Mag. phos
(B) Red sand in urine	(II) Sarsaparilla
(C) Ailments after catheterization	(III) Berberis vulg
(D) Radiating pain with bubbling sensation in kidneys	(IV) Ocimum can

Choose the correct answer from the options given below :

- (1) (A)-(II), (B)-(IV), (C)-(I), (D)-(III)
- (2) (A)-(II), (B)-(I), (C)-(III), (D)-(IV)
- (3) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
- (4) (A)-(III), (B)-(IV), (C)-(II), (D)-(I)

- 1
- 2
- 3
- 4

Question No. 15 / Question ID 5094

Marks: 4.00

The first step of repertorization is

- (1) Selection of repertory
- (2) Case taking
- (3) Converting patient's symptoms into rubrics of the repertory
- (4) Analysis and evaluation of symptoms

- 1
- 2
- 3
- 4

Question No. 16 / Question ID 5073

Marks: 4.00

The greatest elevation of serum alkaline phosphatase level is most likely to be found in which of the following liver disease?

- (1) Hepatitis
- (2) Fatty liver
- (3) Cirrhosis of liver
- (4) Biliary tract obstruction

- 1

- 2
- 3
- 4

Question No. 17 / Question ID 5047

Marks: 4.00

The Bivalent OPV (bOPV) does not contain

- | | |
|---------------------------|---------------------------|
| (1) Poliovirus Serotype 1 | (2) Poliovirus Serotype 3 |
| (3) Poliovirus Serotype 2 | (4) Killed Poliovirus |

- 1
- 2
- 3
- 4

Question No. 18 / Question ID 5026

Marks: 4.00

Match List I with List II :

List I

Drugs

- (A) Iodum
- (B) Ruta graveolens
- (C) Thuja Occ
- (D) Nux Vomica

List II

Complementary

- (I) Lycopodium
- (II) Medorrhinum
- (III) Calcarea Phos.
- (IV) Sulphur

Choose the correct answer from the options given below :

- (1) (A)-(IV), (B)-(I), (C)-(III), (D)-(II)
- (2) (A)-(II), (B)-(IV), (C)-(I), (D)-(III)
- (3) (A)-(III), (B)-(II), (C)-(IV), (D)-(I)
- (4) (A)-(I), (B)-(III), (C)-(II), (D)-(IV)

- 1
- 2
- 3
- 4

Question No. 19 / Question ID 5107

Marks: 4.00

While taking an acute case, little attention needs to be given to chronic symptoms because in acute condition

- (1) Chronic symptoms usually retire into background
- (2) Lucid interval is common
- (3) Administration of sulphur is the first line of treatment
- (4) Chronic symptoms cause indisposition

- 1
- 2
- 3
- 4

Question No. 20 / Question ID 5022

Marks: 4.00

Inflammation of ovaries or uterus after abortions or premature labour. Promotes expulsion of moles or foreign bodies from uterus. Retained Placenta from atony of uterus; intense after pains.

Identify the medicine from below :

- (1) Sabina
- (2) Caulophyllum
- (3) Secale cor
- (4) Actea racemosa

- 1
- 2
- 3
- 4



Question No. 21 / Question ID 5117

Marks: 4.00

Match List I with List II :

- | List I | List II |
|------------------------------|----------------------|
| (A) Hydrogenoid constitution | (I) Maupertius |
| (B) Sphere of Similia | (II) Garthe Boericke |
| (C) Law of least action | (III) Grauvogl |
| (D) Determinative symptom | (IV) Dake |

Choose the correct answer from the options given below :

- (1) (A)-(I), (B)-(III), (C)-(II), (D)-(IV)
- (2) (A)-(III), (B)-(IV), (C)-(I), (D)-(II)
- (3) (A)-(III), (B)-(I), (C)-(IV), (D)-(II)
- (4) (A)-(II), (B)-(I), (C)-(IV), (D)-(III)

- 1
- 2
- 3
- 4

Question No. 22 / Question ID 5029

Marks: 4.00

Which of the following is the most common presenting symptom of Pelvic Inflammatory Disease (PID)?

- (1) High grade fever
- (2) Lower abdominal pain
- (3) Dorsal backache
- (4) Abnormal vaginal discharge with dyspareunia

- 1
- 2
- 3
- 4

Question No. 23 / Question ID 5045

Marks: 4.00

Match List I with List II :

List I	List II
(A) Terminal Method	(I) Lippe's loop
(B) First generation IUD	(II) Cu-T
(C) Second generation IUD	(III) Levonorgestrel
(D) Third generation IUD	(IV) Vasectomy

Choose the correct answer from the options given below :

(1) (A)-(III), (B)-(II), (C)-(I), (D)-(IV)

(2) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)

(3) (A)-(I), (B)-(IV), (C)-(III), (D)-(II)

(4) (A)-(IV), (B)-(III), (C)-(II), (D)-(I)

- 1
 2
 3
 4

Question No. 24 / Question ID 5039

Marks: 4.00

Which of the following statements are correct?

- (A) Most common route of HIV transmission is Sexual Transmission
- (B) HIV was previously known as "lymphadenopathy associated virus"
- (C) AIDS related complex is the end stage of HIV infection
- (D) Primary Immune system disorder associated with HIV infection is gradual depletion of CD 8+ T – lymphocytes

(1) (A) and (C) only

(2) (B) and (D) only

(3) (C) and (D) only

(4) (A) and (B) only

- 1
 2
 3
 4

Question No. 25 / Question ID 5115

Marks: 4.00

In introduction to Organon of Medicine, Hahnemann had recommended Male Fern root in the treatment of morbid symptoms of

- (1) Obstructive jaundice (2) Purpura miliaris
(3) Tape worm (4) Scabies

- 1
 2
 3
 4

Question No. 26 / Question ID 5086

Marks: 4.00

The force of constriction necessary for occlusion of trachea is equivalent of

- (1) 1 kg (2) 3 kgs
(3) 5 kgs (4) 15 kgs

- 1
 2
 3
 4

Question No. 27 / Question ID 5002

Marks: 4.00

Which of the following statements are correct regarding Homoeopathic Pharmacopoeia of India (HPI)?

- (A) First volume had monograph of 180 drugs.
(B) Third volume was published in 1988.
(C) First HPI was compiled by committee under chairmanship of J.N. Kanjilal.
(D) HPI is included in second schedule of Drugs and Cosmetics Act 1940.

Choose the correct answer from the options given below :

- (1) (A) and (D) only (2) (B) and (C) only
(3) (B) and (D) only (4) (A), (C) and (D) only

- 1
 2
 3
 4

Question No. 28 / Question ID 5031

Marks: 4.00

The vaginal discharge for the first fortnight during puerperium, which is pale white in colour, is known as

- (1) Lochia rubra (2) Lochia serosa
 (3) Lochia alba (4) Leucorrhoea

- 1
 2
 3
 4

Question No. 29 / Question ID 5070

Marks: 4.00

Consider the following statements about their correctness about the different gait disturbance and their description :

- (A) Parkinsonian : Stooped posture, shuffling, loss of arm swing, postural instability, freezing.
 (B) Spastic : Stiff 'walking – through – mud' or scissor's gait.
 (C) Central ataxia : wide-based, 'drunken'. Tandem gait poor
 (D) Sensory ataxia : Waddling (Proximal Weakness), Bilateral Trendelenburg Signs.
 (E) Myopathic : Wide – based, Positive Romberg Sign

Choose the correct answer from the options given below :

- (1) (A), (B) and (C) only (2) (B) and (E) only
 (3) (A), (C) and (D) only (4) (A), (C), (D) and (E) only

- 1
 2
 3
 4

Question No. 30 / Question ID 5046

Marks: 4.00

The process of rapid screening of a child with Severe Acute Malnutrition (SAM) is known as

- (1) Track (2) Trace
 (3) Triad (4) Triage

- 1
 2
 3
 4

Question No. 31 / Question ID 5108

Marks: 4.00

The first line of homoeopathic treatment of acute topical affections is administration of

- (1) Sulphur (2) Anti-syphilitic remedy
(3) General class of proved medicines (4) Cauterisation

- 1
 2
 3
 4

Question No. 32 / Question ID 5089

Marks: 4.00

The Rubric 'Vertigo' is given in Boenninghausen's TPB under which chapter :

- (1) Internal head (2) External head
(3) Intellect (4) Sensations

- 1
 2
 3
 4

Question No. 33 / Question ID 5083

Marks: 4.00

Following structures form part of the stomach bed, except

- (1) Diaphragm (2) Left suprarenal gland
(3) Pancreas (4) Coeliac Trunk

- 1
 2
 3
 4

Question No. 34 / Question ID 5050

Marks: 4.00

Heimlich Manoeuvre is performed :

- (1) To correct BPPV (2) To Stop Epistaxis
(3) To dislodge foreign body in ear (4) To dislodge foreign body in Air passage

- 1
 2
 3
 4

Question No. 35 / Question ID 5025

Marks: 4.00

Vertigo when stooping, or when rising after stooping; on every change of position.

- (A) Bryonia Alba
- (B) Belladonna
- (C) Colocynthis
- (D) Conium Mac
- (E) Theridion Curassavicum

Choose the correct answer from the options given below :

- (1) (A), (B) only
- (2) (A), (C) only
- (3) (A), (D) only
- (4) (A), (E) only

- 1
- 2
- 3
- 4

Question No. 36 / Question ID 5081

Marks: 4.00

Which bone does not follow the "Law of ossification".

- (1) Femur
- (2) Tibia
- (3) Humerus
- (4) Fibula

- 1
- 2
- 3
- 4

Question No. 37 / Question ID 5014

Marks: 4.00

"Pains flying like electric shocks; shooting, lancinating; rapidly shifting; worse from motion and at night".

Choose the correct remedy from below :

- (1) Belladonna
- (2) Apis mell
- (3) Phytolacca
- (4) Chamomilla

- 1
- 2
- 3
- 4

Question No. 38 / Question ID 5096

Marks: 4.00

Arrange the following regional repertories in the chronological order of their first publication

- (A) Repertory on uterine therapeutics by – Henry Minton
 (B) Repertory of diarrhoea by – J. Bell
 (C) Repertory of Fevers by – H.C. Allen
 (D) Repertory of Eyes by – Berridge
 (E) Repertory of Hemorrhoids – By Guernsey

Choose the correct answer from the options given below :

- (1) (A), (D), (B), (C), (E) (2) (B), (D), (C), (E), (A)
 (3) (D), (B), (E), (A), (C) (4) (D), (A), (B), (C), (E)

- 1
 2
 3
 4

Question No. 39 / Question ID 5003

Marks: 4.00

Match List I with List II :

List I

Drug

- (A) Aethusa cynapium
 (B) Asafoetida
 (C) Phytolacca decandra
 (D) Coffea cruda



List II

Part used

- (I) Roots
 (II) Seeds
 (III) Whole plant
 (IV) Gum resin

Choose the correct answer from the options given below :

- (1) (A)-(I), (B)-(IV), (C)-(III), (D)-(II)
 (2) (A)-(III), (B)-(I), (C)-(IV), (D)-(II)
 (3) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
 (4) (A)-(III), (B)-(IV), (C)-(I), (D)-(II)

- 1
 2
 3
 4

Question No. 40 / Question ID 5061

Marks: 4.00

Hamman's sign is related with :

- (1) Oesophageal Atresia
(2) Oesophageal Rupture
(3) Achalasia of Oesophagus
(4) Oesophagael Diverticulum

- 1
 2
 3
 4

Question No. 41 / Question ID 5098

Marks: 4.00

Given below are two statements :

Statement I : The Rubric 'cold breath' is found in 'respiration' chapter of Kent's repertory.

Statement II : The Rubric 'Hot breath' is found in 'mouth' chapter of Kent's repertory.

In the light of the above statements, choose the *most appropriate* answer from the options given below :

- (1) Both Statement I and Statement II are correct
(2) Both Statement I and Statement II are incorrect
(3) Statement I is correct but Statement II is incorrect
(4) Statement I is incorrect but Statement II is correct

- 1
 2
 3
 4

Question No. 42 / Question ID 5056

Marks: 4.00

Which of the following features are true for direct inguinal hernia?

- (A) Women particularly never develop this
- (B) Very common to encounter strangulation in this
- (C) Elderly individuals are usually affected
- (D) It appears as a forward bulge

Choose the correct answer from the options given below :

- (1) (A), (C) and (D) only
- (2) (A), (B) and (C) only
- (3) (B), (C) and (D) only
- (4) (A), (B) and (D) only

- 1
- 2
- 3
- 4

Question No. 43 / Question ID 5005

Marks: 4.00

Plussing method is

- (1) Extension of dose by adding water to the remedy solution and succussing further
- (2) Addition of back potency in remedy solution
- (3) Conversion of solid vehicle into liquid vehicle
- (4) Method of preparation of straight potency

- 1
- 2
- 3
- 4

Question No. 44 / Question ID 5119

Marks: 4.00


Identify the correct statements in relation to mental disease as mentioned below :

- (A) Insanity or mania caused by fright, vexation etc. that have suddenly broken out as an acute disease, may be treated with opium.
- (B) It never happens that a mental or emotional disease of long standing ceases spontaneously (for the internal dyscrasia itself again transfers to the grosser corporeal organs).
- (C) The state of the disposition of the patient often chiefly determines the selection of the homoeopathic remedy
- (D) Hahnemann has recommended auxiliary mental regimen in management of mental and emotional diseases resulting from corporeal maladies.
- (E) A cold caught a many years ago, a former fright, a sprain or vexation etc. are too significant to develop and maintain chronic disease in a healthy body.

Choose the correct answer from the options given below :

- (1) (A), (B), (D) only
- (2) (A), (C), (E) only
- (3) (B), (C), (D) only**
- (4) (C), (D), (E) only

- 1
- 2
- 3
- 4



Question No. 45 / Question ID 5060

Marks: 4.00

The clinical condition Phaeochromocytoma results due to which Hormone produced in excess :

- (1) Insulin
- (2) Aldosterone
- (3) Cortisol
- (4) Noradrenaline (norepinephrine) and Adrenaline (epinephrine)**

- 1
- 2
- 3
- 4

Question No. 46 / Question ID 5007

Marks: 4.00

"Snow bread" is the common name of

- (1) Arum triphyllum
- (2) Cyclamen europeum**
- (3) Ruta graveolens
- (4) Urtica urens

- 1
- 2
- 3
- 4

Question No. 47 / Question ID 5082

Marks: 4.00

Which of the following structure does not pass through the carpal tunnel?

- (1) Palmaris longus
- (2) Tendons of flexor digitorum superficialis
- (3) Tendon of flexor pollicis longus
- (4) Tendon of flexor carpi radialis

- 1
- 2
- 3
- 4

Question No. 48 / Question ID 5068

Marks: 4.00

Which of the following statements are correct about Human Papilloma Virus (HPV) infection?

- (A) HPV infection has no viremic phase which may account for incomplete antibody response to HPV infection.
- (B) People with no history of sexual intercourse have a lower detection rate of HPV.
- (C) Subclinical cervical HPV infections do not occur.
- (D) Genital warts are caused primarily by HPV type 6 or 11.

- (1) (A), (B), (C) only
- (2) (A), (C), (D) only
- (3) (A), (B), (D) only
- (4) (B), (C), (D) only

- 1
- 2
- 3
- 4

Question No. 49 / Question ID 5100

Marks: 4.00

Consider the following statements :

- (A) Cognates are closely related to each other
- (B) Administration of antidote after wrong administration of medicine is a form of second prescription
- (C) When the symptoms commence to change in an orderly way and finally go back to their original state it is indication for administration of complementary medicine.
- (D) Change of the remedy is required when striking new symptoms appear and there is an entire change of base in the symptoms.

Choose the correct answer from the options given below :

- (1) (A), (B) and (D) only
- (2) (A), (C), (D) only
- (3) (B) and (D) only
- (4) (A) and (B) only

- 1
- 2
- 3
- 4

Question No. 52 / Question ID 5041

Marks: 4.00

Match List I with List II :

List I

Zoonosis

- (A) Q-Fever
- (B) Lassa Fever
- (C) Toxoplasmosis
- (D) Schistosomiasis



List II

Class of Infective agent

- (I) Protozoa
- (II) Bacteria
- (III) Helminth
- (IV) Virus

Choose the correct answer from the options given below :

- (1) (A)-(IV), (B)-(I), (C)-(III), (D)-(II)
- (2) (A)-(I), (B)-(III), (C)-(II), (D)-(IV)
- (3) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
- (4) (A)-(II), (B)-(IV), (C)-(III), (D)-(I)

- 1
- 2
- 3
- 4

Question No. 53 / Question ID 5077

Marks: 4.00

The cells in the last part of Distal Convolted tubule and in the collecting ducts that reabsorb sodium and are regulated by ADH and Aldosterone are known as

- (1) Macula Densa
(2) Juxtaglomerular Cells
(3) Principal Cells
(4) Mesangial Cells

- 1
 2
 3
 4

Question No. 54 / Question ID 5090

Marks: 4.00

Which of the following rubrics is NOT found in Kent's Repertory?

- (1) Playful
(2) Propheying
(3) Power, love of
(4) Paranoia

- 1
 2
 3
 4

Question No. 55 / Question ID 5093

Marks: 4.00

The Rubric FROST-BITTEN is found in this chapter of Kent's repertory

- (1) Nose
(2) Abdomen
(3) Skin
(4) Chill

- 1
 2
 3
 4

Question No. 56 / Question ID 5067

Marks: 4.00

Given below are two statements :

Statement I : The two cardinal clinical manifestation of folate deficiency are macrocytic megaloblastic anaemia and glossitis.

Statement II : The two main Laboratory tests used to detect folate deficiency are serum folate assay and Red Cell folate assay.

In the light of the above statements, choose the *most appropriate* answer from the options given below :

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

- 1
- 2
- 3
- 4

Question No. 57 / Question ID 5035

Marks: 4.00

A 43 yrs female reported with the complaints of persistent pelvic pain, worsening with menstruation. This pain worsens with every passing menstrual cycle, not able to conceive even 10 yrs after marriage. Laparoscopy shows "powder burns" lesion in Pouch of Douglas. What is the diagnosis?

- (1) PCOS
- (2) Genital prolapse
- (3) Endometriosis
- (4) Ovarian cancer

- 1
- 2
- 3
- 4

Question No. 58 / Question ID 5024

Marks: 4.00

From the following symptoms, select those symptoms that are present in 'VIBURNUM OPULUS'

- (A) Pregnancy; nausea, sleeplessness, sharp pains across abdomen, abortion at third month.
- (B) Spasmodic and congestive affections of ovarian or uterine origin. False-labour pains.
- (C) Frequent and very early miscarriage, seeming like sterility.
- (D) Pains from back to loins and womb worse early morning.
- (E) Aching in sacrum and pubes, with pain in anterior muscles of thigh.

Select the right remedy for the symptom :

- (1) (A), (B), (C), (D) only
- (2) (B), (C), (D), (E) only
- (3) (C), (D), (E), (A) only
- (4) (D), (E), (A), (B) only

- 1
- 2
- 3
- 4

Question No. 59 / Question ID 5087

Marks: 4.00

Given below are two statements :

Statement I : The caliber of a rifled firearm is measured between two diagonally opposite grooves.

Statement II : The caliber of a rifled firearm is measured between two diagonally opposite lands.

In the light of the above statements, choose the *most appropriate* answer from the options given below :

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

- 1
- 2
- 3
- 4

Arrange according to the number of medicines in the following repertories in the ascending order, ie – lowest to highest

- (A) Gentry's concordance repertory
- (B) C.B. Knerr's repertory of Hering's guiding symptoms
- (C) Boenninghausen's therapeutic pocket book
- (D) Boger Boenninghausen's characteristics and repertory
- (E) Repertory of the homoeopathic materia media – J.T. Kent

Choose the correct answer from the options given below :

- (1) (B), (C), (D), (A), (E)
- (2) (A), (C), (B), (E), (D)
- (3) (C), (B), (A), (D), (E)**
- (4) (C), (A), (B), (D), (E)

- 1
- 2
- 3
- 4

Question No. 61 / Question ID 5114

Marks: 4.00

Match List I with List II :

List I

- (A) Hippocrates
- (B) Lord Bacon
- (C) Horace
- (D) Paracelsus

List II

- (I) Aude Sapere
- (II) Doctrine of signature
- (III) Inductive logic
- (IV) Similia similibus curantur



Choose the correct answer from the options given below :

- (1) (A)-(IV), (B)-(III), (C)-(I), (D)-(II)**
- (2) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
- (3) (A)-(I), (B)-(II), (C)-(IV), (D)-(III)
- (4) (A)-(III), (B)-(I), (C)-(IV), (D)-(II)

- 1
- 2
- 3
- 4

Question No. 62 / Question ID 5105

Marks: 4.00

A sour smelling child develops colicky abdominal pain after getting wet in rain. Pains are better from lying on abdomen. He wants constant attention and must be rocked. The predominant miasm is

- (1) Psora
(2) Sycosis
(3) Syphilis
(4) Pseudo-psora

- 1
 2
 3
 4

Question No. 63 / Question ID 5027

Marks: 4.00

Given below are two statements :

Regarding TRILLIUM PENDULUM.

Statement I : Menses : profuse, every two weeks, lasting a week or longer; after over-exertion or too long a ride.

Statement II : Menorrhagia : flow profuse, gushing, bright red; at least movement; from displaced uterus; at the climacteric; every two weeks, dark, clotted.

In the light of the above statements, choose the *most appropriate* answer from the options given below :

- (1) Both Statement I and Statement II are correct
(2) Both Statement I and Statement II are incorrect
(3) Statement I is correct but Statement II is incorrect
(4) Statement I is incorrect but Statement II is correct

- 1
 2
 3
 4

Question No. 64 / Question ID 5053

Marks: 4.00

Arrange the following hernias in sequence from more common to less common in appearance :

- (A) Umbilical
- (B) Femoral
- (C) Direct Inguinal
- (D) Indirect Inguinal

Choose the correct answer from the options given below :

- (1) (A), (C), (B), (D)
- (2) (D), (B), (C), (A)
- (3) (D), (C), (B), (A)
- (4) (C), (D), (A), (B)

- 1
- 2
- 3
- 4

Question No. 65 / Question ID 5017

Marks: 4.00

“Extremely sensitive to open air; hoarseness; worse evenings; after exposure to cold; voice uncertain; covers head with bed clothes to make air warmer; little or no expectoration” – Identify the correct option

- (1) Hepar sulphuris
- (2) Rumex crispus
- (3) Argentum metallicum
- (4) Silicea

- 1
- 2
- 3
- 4

Question No. 66 / Question ID 5066

Marks: 4.00

Arrange the Gross motor development attainment of preschool children in Increasing order of age (from 4 month – 3 yrs) :

- (A) Sits unsupported, pulls to stand.
- (B) Has good head control on pull to sit keep back straight when held in sitting position.
- (C) Walk without support.
- (D) Runs, Bounces on trampoline
- (E) Support weight on hands when laid prone, Rolls front to back.

Choose the correct answer from the options given below :

- (1) (E), (B), (D), (C), (A)
- (2) (A), (B), (C), (E), (D)
- (3) (B), (E), (A), (C) (D)
- (4) (E), (A), (C), (D) (B)

- 1
- 2
- 3
- 4

Question No. 67 / Question ID 5079

Marks: 4.00

Match List I with List II :

List I

- (A) Period of time when semilunar valves are open and blood flows out of ventricles
- (B) Amount of blood ejected by ventricle during each systole
- (C) Amount of blood ejected per minute by the left ventricle into aorta
- (D) Difference between maximum cardiac output and cardiac output at rest

List II

- (I) Stroke volume
- (II) Cardiac output
- (III) Cardiac reserve
- (IV) Ventricular ejection

Choose the correct answer from the options given below :

- (1) (A)-(II), (B)-(III), (C)-(I), (D)-(IV)
- (2) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
- (3) (A)-(I), (B)-(II), (C)-(III), (D)-(IV)
- (4) (A)-(II), (B)-(IV), (C)-(I), (D)-(III)

- 1

- 2
- 3
- 4

Question No. 68 / Question ID 5020

Marks: 4.00

Renal Pain/colic : violent spasmodic pains along ureter, left side; deathly nausea and cold perspiration with palpitation; violent when lying on left side; goes off when turning to the right.

Choose the correct option :

- (1) Lycopodium clavatum
- (2) Sarsaparilla
- (3) Berberis vulgaris
- (4) Tabacum

- 1
- 2
- 3
- 4

Question No. 69 / Question ID 5057

Marks: 4.00

On clinical examination Pupils are bilaterally small and irregular and react to near accommodation but not to light (light - near dissociation) is known as :

- (1) Adie's Pupil
- (2) Argyll Robertson Pupil
- (3) Horner's Syndrome
- (4) Holmes - Adie Syndrome

- 1
- 2
- 3
- 4

Question No. 70 / Question ID 5048

Marks: 4.00

Number of live births per 1000 women in reproductive age group in a given year is known as

- (1) Total Fertility Rate
- (2) Birth Rate
- (3) General Fertility Rate
- (4) Net Reproduction Rate

- 1
- 2
- 3
- 4

Question No. 71 / Question ID 5012

Marks: 4.00

Which of the following does not produce volatile oil?

- (1) *Mentha spicata* (2) *Rosmarinus officinalis*
(3) *Ricinus communis* (4) *Santalam album*

- 1
 2
 3
 4

Question No. 72 / Question ID 5118

Marks: 4.00

Arrange the following works of Boenninghausen in the ascending order of year of publication :

- (A) Repertory of the Antipsoric Medicines
(B) Therapeutic Manual for Homoeopathic Physicians
(C) The Two sides of the human body and their relationship
(D) Homoeopathic treatment of whooping cough
(E) Attempt at showing relative kinship of Homoeopathic Medicines

Choose the correct answer from the options given below :

- (1) (A), (E), (B), (C), (D) (2) (A), (B), (C), (E), (D)
(3) (B), (A), (D), (C), (E) (4) (A), (C), (B), (E), (D)

- 1
 2
 3
 4

Question No. 73 / Question ID 5085

Marks: 4.00

The Myelohyoid line in mandible helps us in the determination of :

- (1) Age (2) Race
(3) Sex (4) Stature

- 1
 2
 3
 4

Question No. 74 / Question ID 5058

Marks: 4.00

The most common cause of Congenital hypothyroidism is

- (1) Inborn errors of thyroid hormone synthesis
- (2) Thyroid gland dysgenesis
- (3) TSH - R antibody mediated
- (4) Amyloidosis

- 1
- 2
- 3
- 4

Question No. 75 / Question ID 5092

Marks: 4.00

If a person develops urticaria after taking meat, as per Kent's repertory the only medicine which will be indicated is

- (1) Pulsatilla
- (2) Urtica Urens
- (3) Dulcamara
- (4) Antim crud

- 1
- 2
- 3
- 4



www.homoeopaedia.com

Question No. 76 / Question ID 5113

Marks: 4.00

In order to effect a cure, several antipsoric remedies in succession, every successive one being homoeopathically chosen in consonance with the group of symptoms remaining, are required in case of

- (1) Indisposition
- (2) One-sided disease
- (3) Acute sporadic disease
- (4) Acute individual disease

- 1
- 2
- 3
- 4

Question No. 77 / Question ID 5034

Marks: 4.00

Find out the correct statement related to ovary :

- (A) Function : Germ cell maturation, storage and its release
- (B) Function : Steroidogenesis
- (C) Pinkish – gray in colour
- (D) Covered by three layers of cubical cells
- (E) Measures $3 \times 2 \times 1$ cm

Choose the correct answer from the options given below :

- (1) (A) and (B) only
- (2) (A), (B) and (E) only
- (3) (A), (C), (D) and (E) only
- (4) (A), (B), (C) and (E) only

- 1
- 2
- 3
- 4

Question No. 78 / Question ID 5044

Marks: 4.00

As per National Immunization schedule, the Booster doses of Pneumococcal conjugate vaccine should be given in between

- (1) 9 -12 months
- (2) 16 - 24 months
- (3) 5 - 6 years
- (4) 16 - 18 years

- 1
- 2
- 3
- 4

Question No. 79 / Question ID 5016

Marks: 4.00

A person is disposed to Paronychia, at present suffering from Felon-early when pains are sharp and agonizing, when pricking is first felt; nails brittle. The most appropriate remedy is:

- (1) Hepar sulphuris
- (2) Antimonium crudum
- (3) Dioscorea Villosa
- (4) Silicea

- 1
- 2
- 3
- 4

Question No. 80 / Question ID 5033

Marks: 4.00

Given below are two statements :

Statement I : The Rubric 'DIARRHOEA' will be found in 'Anus and rectum' chapter of BBCR.

Statement II : The Rubric 'DIARRHOEA' will be found in 'abdomen' chapter of O.E. Boericke's clinical repertory.

In the light of the above statements, choose the most appropriate answer from the options given below :

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

- 1
- 2
- 3
- 4

Question No. 84 / Question ID 5004

Marks: 4.00

The best time for collection of barks of Non-Resinous trees for drug preparation is

- (1) Damp rainy weather
- (2) Late autumn
- (3) When seeds are fully ripe
- (4) Early flowering season

- 1
- 2
- 3
- 4

Question No. 85 / Question ID 5062

Marks: 4.00

The Body Mass Index (BMI) is calculated by formula

- (1) $BMI = \frac{wt(Kg)}{ht(m)}$
- (2) $BMI = \frac{wt(Kg)^2}{ht(m)}$
- (3) $BMI = \frac{ht(m)^2}{wt Kg}$
- (4) $BMI = \frac{wt Kg}{ht(m)^2}$

Adapted to diseases from spinal origin. Muscular atrophy from sclerosis of spinal system
Excessive and rapid emaciation; general or partial paralysis; extreme, with anaemia and great weakness

Identify the correct remedy from below :

- (1) Plumbum met (2) Phosphorus
(3) Picric acid (4) Zincum met

- 1
 2
 3
 4

Question No. 89 / Question ID 5088

Marks: 4.00

The venom of which snake is NOT used for preparation of polyvalent antivenin

- (1) King cobra
(2) Saw - scaled viper
(3) Common krait
(4) Russell's viper

- 1
 2
 3
 4



Question No. 90 / Question ID 5103

Marks: 4.00

Match rubrics in List I with Chapter of Kent's Repertory in List II :

- | List I | List II |
|--------------------------|--------------|
| (A) Expression | (I) Mind |
| (B) Retention of urine | (II) Kidneys |
| (C) Antics plays | (III) Face |
| (D) Suppression of urine | (IV) Bladder |

Choose the correct answer from the options given below :

- (1) (A)-(III), (B)-(II), (C)-(I), (D)-(IV)
(2) (A)-(III), (B)-(I), (C)-(II), (D)-(IV)
(3) (A)-(III), (B)-(IV), (C)-(I), (D)-(II)
(4) (A)-(I), (B)-(IV), (C)-(III), (D)-(II)

- 1
- 2
- 3
- 4

Question No. 91 / Question ID 5110

Marks: 4.00

Olfaction method of remedy administration is mentioned in which aphorism of sixth edition of Organon of Medicine

- (1) § 66 (2) § 155
(3) § 234 (4) § 248

- 1
- 2
- 3
- 4

Question No. 92 / Question ID 5037

Marks: 4.00

Arrange the following steps in conducting Randomised Control Trial (RCT), starting from first to last

- (A) Intervention
(B) Drawing up a protocol
(C) Selecting reference and experimental population
(D) Randomisation
(E) Assessment of outcome

Choose the correct answer from the options given below :

- (1) (A), (B), (E), (C), (D) (2) (B), (C), (D), (A), (E)
(3) (B), (A), (E), (D), (C) (4) (D), (B), (A), (C), (E)

- 1
- 2
- 3
- 4

Question No. 93 / Question ID 5064

Marks: 4.00

Peritoneal dialysis is principally used in the treatment of

- (1) Chronic liver disease (2) Chronic kidney disease
(3) Chronic heart disease (4) Chronic respiratory disease

- 1
- 2

Question No. 94 / Question ID 5106

Marks: 4.00

Given below are two statements : Consider following statement regarding Kent's Eleventh observation :

Statement I : Old symptoms are observed to reappear

Statement II : It indicates that the medicine needs to be repeated at frequent interval.

In the light of the above statements, choose the most appropriate answer from the options given below :

- (1) Both Statement I and Statement II are correct
 (2) Both Statement I and Statement II are incorrect
 (3) Statement I is correct but Statement II is incorrect
 (4) Statement I is incorrect but Statement II is correct

-
- 1
-
-
- 2
-
-
- 3
-
-
- 4



Question No. 95 / Question ID 5072

Marks: 4.00

Match List I with List II :

List I

- (A) Murphy's Sign
 (B) Rovsing's Sign
 (C) Signet-ring Sign
 (D) Grey Turner's Sign

List II

- (I) Haemorrhagic Pancreatitis
 (II) Bronchiectasis
 (III) Acute Cholecystitis
 (IV) Acute Appendicitis

Choose the correct answer from the options given below :

- (1) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
 (2) (A)-(I), (B)-(II), (C)-(IV), (D)-(III)
 (3) (A)-(II), (B)-(III), (C)-(I), (D)-(IV)
 (4) (A)-(III), (B)-(IV), (C)-(II), (D)-(I)

- 1
- 2
- 3
- 4

Question No. 96 / Question ID 5059

Marks: 4.00

Acute febrile illness characterized by fever, myalgia, arthralgia and rash with abnormalities in hemostasis and by leakage of plasma from the capillaries may lead to shock is seen in:

- (1) Chikungunya (2) Dengue
(3) Hand-Foot and Mouth Disease (4) Rheumatic Fever

- 1
- 2
- 3
- 4


Question No. 97 / Question ID 5043

Marks: 4.00

6 × 6 × 6 strategy comes in purview of which program

- (1) Ayushman Bharat Programme (2) Rashtriya Baal Swasthya Karyakaram
(3) Anaemia Mukt Bharat Programme (4) TB control programme

- 1
- 2
- 3
- 4



Question No. 98 / Question ID 5055

Marks: 4.00

Which phase of wound healing is characterised by replacement of type III Collagen by stronger type I Collagen :

- (1) Haemostasis (2) Inflammation
(3) Proliferation (4) Remodelling

- 1
- 2
- 3
- 4

Question No. 99 / Question ID 5028

Marks: 4.00

Given below are two statements :

Statement I : Oil of wintergren test is used to detect presence of methyl alcohol in Ethyl alcohol vehicle.

Statement II : Iodine test is used to detect starch in sugar of milk.

In the light of the above statements, choose the *most appropriate* answer from the options given below :

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

- 1
- 2
- 3
- 4

Question No. 102 / Question ID 5112

Marks: 4.00

Arrange the following concepts in chronological order of their appearance in the aphorisms / footnotes of Organon of Medicine (6th edition), starting from lowest to highest:

- (A) Antitype of curative artificial disease
- (B) Intermediate remedy
- (C) First rudiments of the true pure Materia Medica
- (D) Quidquid in buccam venit
- (E) Dynamic neutralization

Choose the correct answer from the options given below :

- (1) (A), (C), (B), (E), (D)
- (2) (B), (C), (D), (A), (E)
- (3) (E), (C), (D), (A), (B)
- (4) (C), (D), (A), (B), (E)

- 1
- 2
- 3
- 4

Question No. 103 / Question ID 5095

Marks: 4.00

In Kent's repertory 'Diarrhoea ameliorates all symptoms' will be found under this chapter :

- (1) Stool
(2) Rectum
(3) Abdomen
(4) Generalities

- 1
 2
 3
 4

Question No. 104 / Question ID 5076

Marks: 4.00

Match List I with List II :

List I

Pathology

- (A) Increased Reid Index
(B) Mallory Hyaline
(C) Reed Sternberg cell
(D) Caseous necrosis

List II

Associated disease condition

- (I) Hodgkin lymphoma
(II) Chronic bronchitis
(III) Alcoholic liver injury
(IV) Tuberculosis

Choose the correct answer from the options given below :

- (1) (A)-(II), (B)-(I), (C)-(IV), (D)-(III)
(2) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
(3) (A)-(II), (B)-(III), (C)-(I), (D)-(IV)
(4) (A)-(III), (B)-(II), (C)-(IV), (D)-(I)

- 1
 2
 3
 4

Question No. 105 / Question ID 5109

Marks: 4.00

Given below are two statements :

Statement I : Surrogates have been recommended by Hahnemann in individualising selection of remedy.

Statement II : Every medicine exhibits peculiar action in human drug proving, which are not produced in exactly the same manner by any other medicinal substance of a different kind.

In the light of the above statements, choose the *most appropriate* answer from the options given below :

- (1) Both Statement I and Statement II are correct
 (2) Both Statement I and Statement II are incorrect
 (3) Statement I is correct but Statement II is incorrect
 (4) Statement I is incorrect but Statement II is correct

- 1
 2
 3
 4

Question No. 106 / Question ID 5036

Marks: 4.00

Match List I with List II :

List I	List II
(A) Goodell Sign	(I) Molar pregnancy
(B) Banana Sign	(II) Neural tube defect
(C) Snowstorm appearance on sonogram	(III) Softening of cervix
(D) Jacquemiers Sign	(IV) Bluish discoloration of vaginal wall

Choose the correct answer from the options given below :

- (1) (A)-(III), (B)-(II), (C)-(I), (D)-(IV)
 (2) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
 (3) (A)-(I), (B)-(IV), (C)-(III), (D)-(II)
 (4) (A)-(III), (B)-(I), (C)-(II), (D)-(IV)

- 1
 2

- 3
 4

Question No. 107 / Question ID 5049

Marks: 4.00

Which of the following is **not** a characteristic of Venous Ulcer :

- (1) Shallow and superficial
 (2) Penetrates deep fascia
 (3) Usually painless
 (4) Pigmentation is present.

- 1
 2
 3
 4

Question No. 108 / Question ID 5032

Marks: 4.00

Match List I with List II :

List I

Female genitalia

- (A) Labia majora
 (B) Labia minora
 (C) Clitoris
 (D) Bartholin's gland

List II

Correspondence with male genitalia

- (I) Ventral aspect of penis
 (II) Bulbo-urethral gland of male
 (III) Scrotum
 (IV) Penis

Choose the correct answer from the options given below :

- (1) (A)-(III), (B)-(I), (C)-(IV), (D)-(II)
 (2) (A)-(II), (B)-(I), (C)-(III), (D)-(IV)
 (3) (A)-(IV), (B)-(II), (C)-(I), (D)-(III)
 (4) (A)-(I), (B)-(II), (C)-(IV), (D)-(III)

- 1
 2
 3
 4

Question No. 109 / Question ID 5069

Marks: 4.00

Given below are two statements :

With respect to Von Willebrand's Disease :

- Statement I : Von Willebrand's disease is an inherited disorder of haemostasis, which resembles haemophilia.
- Statement II : Von Willebrand's disease is characterised by a defect of platelet function, giving rise to long bleeding time and a coagulation defect due to deficiency of factor VIII activity in the plasma.

In the light of the above statements, choose the *most appropriate* answer from the options given below :

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

- 1
- 2
- 3
- 4



Question No. 110 / Question ID 5102

homoeopaedia

Marks: 4.00

Match List I with List II :

Name of the Repertory in List I with their corresponding Gradation in List II :

List I	List II
(A) BTPB	(I) 2 grades
(B) Kent's Repertory	(II) 4 grades
(C) Homoeopathic medical repertory by Robin Murphy	(III) 3 grades
(D) Clinical repertory – O.E. Boericke	(IV) 5 grades

Choose the correct answer from the options given below :

- (1) (A)-(I), (B)-(II), (C)-(IV), (D)-(III)
- (2) (A)-(IV), (B)-(III), (C)-(I), (D)-(II)
- (3) (A)-(II), (B)-(III), (C)-(IV), (D)-(I)
- (4) (A)-(IV), (B)-(III), (C)-(II), (D)-(I)

- 1
- 2
- 3
- 4

Question No. 111 / Question ID 5111

Marks: 4.00

Which element of Boenninghausen's hexameter of symptoms is applicable in patient complaining of Right supra orbital pain?

- (1) Cur
- (2) Quomodo
- (3) Quando
- (4) Ubi

- 1
- 2
- 3
- 4

Question No. 112 / Question ID 5101

Marks: 4.00

Which of the following fundamental concept does NOT form the basis of Therapeutic pocket book?

- (A) Doctrine of pathological general
- (B) Doctrine of analogy
- (C) Doctrine of concomitant
- (D) Evaluation of remedies



Choose the correct answer from the options given below :

- (1) (A) only
- (2) (B) only
- (3) (C) only
- (4) (D) only

- 1
- 2
- 3
- 4

Question No. 113 / Question ID 5008

Marks: 4.00

Match List I with List II :

List I	List II
Pioneer	Contribution
(A) Korsakoff	(I) Fluxion Centesimal Attenuator
(B) Higgins	(II) Fluxion Potency
(C) B. Fincke	(III) Preparation of Luna
(D) Thomas Skinner	(IV) Proponent of high potencies

Choose the correct answer from the options given below :

- (1) (A)-(I), (B)-(III), (C)-(II), (D)-(IV)
 (2) (A)-(IV), (B)-(III), (C)-(I), (D)-(II)
 (3) (A)-(IV), (B)-(III), (C)-(II), (D)-(I)
 (4) (A)-(III), (B)-(I), (C)-(II), (D)-(IV)

- 1
 2
 3
 4

Question No. 114 / Question ID 5054

Marks: 4.00

Loss of sensation in the upper part of the lateral aspect of arm (regimental badge area) indicates damage to :

- (1) Median nerve
 (2) Ulnar nerve
 (3) Axillary nerve
 (4) Radial nerve

- 1
 2
 3
 4

Question No. 115 / Question ID 5051

Marks: 4.00

Which of the following statement is **not** true regarding sensorineural hearing loss:

- (1) Results from lesions of Cochlea
 (2) Speech discrimination is poor
 (3) Weber lateralised to better ear
 (4) Hearing is good in presence of noise

- 1
 2
 3
 4

Cannot sleep after 3 a.m. until towards morning; awakes feeling wretchedly. Drowsy after meals, and in early evening. Dreams full of bustle and hurry. Better after a short sleep, unless aroused.

Select the appropriate remedy from below :

- (1) Phosphorus (2) Bellis perennis
(3) Nux vomica (4) Pulsatilla nigricans


- 1
 2
 3
 4

Is useful in bad effects from excessive tea drinking or abuse of chamomile tea, when haemorrhage results.

Choose the correct option :

- (1) Pulsatilla Nigricans (2) Cinchona
(3) Abies Nigra (4) Ipecacuanha

- 1
 2
 3
 4



Match List I with List II :

List I (Disorder)	List II (Precipitating factor)
(A) Byssinosis disorder	(I) Contamination of air conditioning
(B) Inhalation (Humidifier) fever disorder	(II) Textile Industries
(C) Farmer's lung disorder	(III) Reed of any Wind Instrument
(D) Saxophone Player's lung	(IV) Mouldy, hay, straw, grain

Choose the correct answer from the options given below :

- (1) (A)-(I), (B)-(II), (C)-(III), (D)-(IV)
 (2) (A)-(II), (B)-(I), (C)-(IV), (D)-(III)
 (3) (A)-(I), (B)-(II), (C)-(IV), (D)-(III)
 (4) (A)-(IV), (B)-(I), (C)-(III), (D)-(II)

- 1
 2
 3
 4

Question No. 119 / Question ID 5078

Marks: 4.00

In which of the following ways does the cerebrospinal fluid contribute to homeostasis?

- (A) Mechanical Protection
 (B) Chemical Protection
 (C) Electrical Protection
 (D) Osmotic Pressure
 (E) Circulation of Nutrients

Choose the correct answer from the options given below :

- (1) (A), (B), (C) and (E) only
 (2) (A), (B) and (E) only
 (3) (A), (B), (D) and (E) only
 (4) (B), (C) and (E) only

- 1
 2
 3
 4

Question No. 120 / Question ID 5009

Marks: 4.00

Which of the following statements are correct in connection with Mother Tincture preparation in New Method?

- (A) Decantation prior to filtration is necessary in maceration
- (B) Percolation is a long process, requiring 2-4 week
- (C) Powdered green glass can be used in place of sand porous material in percolation
- (D) Gummy and mucilaginous drug substances are percolated
- (E) Viscosity and adhesion are two of the physical forces acting in the process of percolation

Choose the correct answer from the options given below :

- (1) (A), (C) and (D) only
- (2) (A), (C) and (E) only
- (3) (B), (C) and (E) only
- (4) (A), (B) and (E) only

- 1
- 2
- 3
- 4

